

Warwick Fabrics (Australia) Pty Ltd ABN 56 004 832 455 sales@warwick.com.au www.warwick.com.au National Sales Service T 1300 787 888 (toll free in Australia) F +61 (0) 3 9415 7236 F +61 (0) 3 9416 1060 Melbourne 6 - 10 Sackville Street PO Box 1242 Collingwood VIC 3066 T +61 (0) 3 9419 7544

## Carrick

| Collection(s)       | Gladiator 4 Book, Carrick  |
|---------------------|--|
| Colour(s)           | Ash, Birch, Cobblestone, Flame, Fossil, Grape, Midnight, Onyx, Pepper, Pumpkin, Smoke, Snow, Vanilla   |
| Product Type(s)     | Upholstery (Heavy Commercial)  |
| Attributes          | Halo Easy Care, Oekotex Standard 100   |
| Styles              | Plain, Texture, Modern   |
| Composition         | 100% Polyester   |
| Pattern Match       | No   |
| Pattern Repeat (cm) | Plain  |
| Railroaded          | Plain  Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded). |
| Width (cm)          | 140  |
| Roll Size (approx)  | 45m  |
| Weight (gsm)        | 325  |
| Origin              | Non European   |
| Stain Repellent     | No   |
| FIAA Care Label     | FIAA Care Label 3 - Non Pile Fabrics   |
| Usage               | Upholstery Cushion   |
| Guarantee           | 3 Years in accordance with our product type and care instructions  |

## **Test Results**

| Martindale<br>(ISO 12947, 12kPA)                            | 48,500 Cycles       |
|---|---------------------|
| Seam Slippage (mm)<br>(ISO 13936-2, Load 180)               | Warp 4.3, Weft 3.8  |
| Pilling Resistance<br>(ISO 12945-2)                         | 5                   |
| Colourfastness to Light Xenon arc (ISO 105-B02, blue std 6) | 6                   |
| Colourfastness to Rubbing (ISO 105-X12)                     | Dry 5, Wet 5        |
| Free and Hydrolysed Formaldehyde (ISO 14184-1:1998)         | Not Detectable      |
| Flammability AS/NZS 1530.3 - 1999                           |                     |
| Ignitability (0-20)   | 11                  |
| Spread of Flame (0-10)                                      | 0                   |
| Heat Involved (0-10)  | 2                   |
| Smoke Developed (0-10)                                      | 4                   |
| Group Number AS5637.1                                       | 1                   |
| Oekotex Standard 100  | SH015 188199 TEXTEX |










## Carrick



Vanilla

www.warwick.com.au 2