

Specifications

| | |
|---------------------|---|
| Collection(s) | - |
| Colour(s) | Cerise, Cherry, Chrome, Denim, Dove, Fudge, Granite, Imperial, Lead, Lemon, Mink, Oyster, Tangerine, Truffle, Ultramarine, Wolf |
| Warwick Brand | - |
| Usage | Heavy Commercial |
| Composition | 50% Polyester 43% Acrylic 7% Viscose |
| Pattern match | No |
| Pattern repeat (cm) | Plain |
| Railroaded | Plain** |
| Width (cm) | 140 |
| Weight (gsm) | 440 |
| Origin | Non EU |
| Stain Repellent | No |
| FIAA Care Label* | 1 |

*Please refer to Warwick Price List or Website www.warwick.com.au

**Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).

Test Results

| | |
|--|----------------------|
| Abrasion Martindale (ISO 12947, 12kPa) | 82,500 Cycles |
| Seam slippage (mm) (ISO 13936-2, Load 180) | Warp 2.00, Weft 3.00 |
| Pilling resistance (ISO 12945-2) | 5 |
| Colourfastness to light Xenon arc (ISO 105-B02, blue std 6) | >6 |
| Colourfastness to rubbing (ISO 105-X12) | Dry 5, Wet 4/5 |
| Free and Hydrolysed formaldehyde (ISO 14184-1:1998) | Not Detectable |
| Flammability AS/NZS 1530.3-1999 | |
| Ignitability (0 - 20) | 12 |
| Spread of flame (0 - 10) | 0 |
| Heat evolved (0 - 10) | 2 |
| Smoke developed (0 - 10) | 4 |



COMMERCIAL TEXTILE ASSOCIATION
OF AUSTRALIA & NEW ZEALAND
LIMITED



Tested for harmful substances
according to Oeko-Tex Standard 100
HKC 23567 TESTEX
09.HTR.70387 HOHENST

