

CRETE

Specifications

Collection(s)	-
Colour(s)	Ash, Charcoal, Cloud, Flint, Ivory, Sand, Storm
Warwick Brand	-
Usage	Drapery
Composition	100% Polyester
Pattern match	No
Pattern repeat (cm)	Plain
Continuous	Yes
Lead weighted	Yes
Width (cm)	300
Weight (gsm)	165
Origin	Non EU
Stain Repellent	No
WCAA Care Label*	4

*Please refer to Warwick Price List or Website www.warwick.com.au

Test Results

Colourfastness to light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to rubbing (ISO 105-X12)	Dry 5, Wet 5
Dimension change - laundering (%) (ISO 5077/ISO 6330. 7BA)	Warp -0.2, Weft -0.6
Dimension change - hanging (%) (AS2663.1.B)	Warp 0.1, Weft 0.2
Free and Hydrolysed formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.2-1993 Flamability Index (0 - 100)	6
Spread Factor (0 - 40)	Length 5, Width 2
Heat Factor (0 - upward)	Length 1, Width 0
Flammability AS/NZS 1530.3-1999 Ignitability (0 - 20)	0
Spread of flame (0 - 10)	0
Heat evolved (0 - 10)	0
Smoke developed (0 - 10)	1