

### Specifications

Collection(s)	Augustus, Contract Card Augustus
Colour(s)	Aegean, Amazon, Armour, Birch, Blush, Candy, Cedar, Chili, Copper, Dew, Earth, Ebony, Ecru, Eggplant, Flint, Fuchsia, Fudge, Glacier, Grey, Gunmetal, Ink, Ladybird, Lagoon, Lime, Linen, Madder, Marmalade, Marshmallow, Meadow, Midnight, Mustard, Ocean, Olive, Pacific, Pimpernel, Plum, Porcelain, Pumice, Reef, Russet, Seaglass, Sunshine, Thistle, Turmeric, Tuscany, Willow, Wolf, Zinc
Warwick Brand	Encore
Usage	Drapery / Heavy Commercial
Composition	70% Recycled Wool 25% Polyamide 5% Acrylic
Pattern match	No
Pattern repeat (cm)	Plain
Railroaded	Plain**
Continuous	No
Lead weighted	No
Width (cm)	150
Weight (gsm)	392
Origin	EU
Stain Repellent	No
FIAA Care Label*	3
WCAA Care Label*	2

\*Please refer to Warwick Price List or Website [www.warwick.com.au](http://www.warwick.com.au)

\*\*Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).

### Test Results

Abrasion Martindale (ISO 12947, 12kPa)	150,000 Cycles
Seam slippage (mm) (ISO 13936-2, Load 180)	Warp 3.30, Weft 2.90
Pilling resistance (ISO 12945-2)	4/5
Colourfastness to light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to rubbing (ISO 105-X12)	Dry 5, Wet 4/5
Dimension change - laundering (%) (ISO 5077/ISO 6330. 7BA)	Warp -1.40, Weft -4.80
Dimension change - hanging (%) (AS2663.1.B)	Warp 0.20, Weft 0.10
Free and Hydrolysed formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.2-1993 Flamability Index (0 - 100)	34
Spread Factor (0 - 40)	Length 24, Width 21
Heat Factor (0 - upward)	Length 10, Width 8
Flammability AS/NZS 1530.3-1999 Ignitability (0 - 20)	7
Spread of flame (0 - 10)	0
Heat evolved (0 - 10)	0
Smoke developed (0 - 10)	3

