

## AMBROSIA

### Specifications

Collection(s)	-
Colour(s)	Daffodil, Oatmeal, Onyx, Pacific, Rose, Teal
Warwick Brand	Halo
Usage	Drapery / Heavy Commercial
Composition	100% Polyester
Pattern match	Yes
Pattern repeat (cm)	H: 63 x V: 31.5
Railroaded	No
Continuous	No
Lead weighted	No
Width (cm)	137
Weight (gsm)	430
Origin	AU
Stain Repellent	No
FIAA Care Label*	FW
WCAA Care Label*	4

\*Please refer to Warwick Price List or Website [www.warwick.com.au](http://www.warwick.com.au)

### Test Results

Abrasion	
Martindale (ISO 12947, 12kPa)	107,000 Cycles
Seam slippage (mm)	
(ISO 13936-2, Load 180)	Warp 5, Weft 4.4
Pilling resistance	
(ISO 12945-2)	4
Colourfastness to light	
Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to rubbing	
(ISO 105-X12)	Dry 5, Wet 5
Dimension change - laundering (%)	
(ISO 5077/ISO 6330. 7BA)	Warp -0.2, Weft -0.3
Dimension change - hanging (%)	
(AS2663.1.B)	Warp 0.3, Weft 0.0
Free and Hydrolysed formaldehyde	
(ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.2-1993	
Flamability Index (0 - 100)	4
Spread Factor (0 - 40)	Length 3, Width 0
Heat Factor (0 - upward)	Length 1, Width 1
Flammability AS/NZS 1530.3-1999	
Ignitability (0 - 20)	9
Spread of flame (0 - 10)	0
Heat evolved (0 - 10)	1
Smoke developed (0 - 10)	4

