

HATTIE

Specifications

Collection(s)	-
Colour(s)	Daffodil, Oatmeal, Onyx, Pacific, Rose, Teal
Warwick Brand	Halo
Usage	Drapery / Heavy Commercial
Composition	100% Polyester
Pattern match	Yes
Pattern repeat (cm)	H: 8.5 x V: 8
Railroaded	No
Continuous	No
Lead weighted	No
Width (cm)	137
Weight (gsm)	430
Origin	AU
Stain Repellent	No
FIAA Care Label*	FW
WCAA Care Label*	4

*Please refer to Warwick Price List or Website www.warwick.com.au

Test Results

Abrasion Martindale (ISO 12947, 12kPa)	107,000 Cycles
Seam slippage (mm) (ISO 13936-2, Load 180)	Warp 5, Weft 4.4
Pilling resistance (ISO 12945-2)	4
Colourfastness to light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to rubbing (ISO 105-X12)	Dry 5, Wet 5
Dimension change - laundering (%) (ISO 5077/ISO 6330. 7BA)	Warp -0.2, Weft -0.3
Dimension change - hanging (%) (AS2663.1.B)	Warp 0.3, Weft 0.0
Free and Hydrolysed formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.2-1993 Flamability Index (0 - 100)	4
Spread Factor (0 - 40)	Length 3, Width 0
Heat Factor (0 - upward)	Length 1, Width 1
Flammability AS/NZS 1530.3-1999 Ignitability (0 - 20)	9
Spread of flame (0 - 10)	0
Heat evolved (0 - 10)	1
Smoke developed (0 - 10)	4



COMMERCIAL TEXTILE ASSOCIATION
OF AUSTRALIA & NEW ZEALAND
LIMITED



Tested for harmful substances
according to Oeko-Tex Standard 100
HKC 23567 TESTEX
005339.0 CENTROCOT

